UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/783,936	02/20/2004	Jack C. Wybenga	2003.07.006.BN0	7287	
	23990 7590 08/20/2008 DOCKET CLERK			EXAMINER	
P.O. DRAWER		DUONG, CHRISTINE T			
DALLAS, TX 75380			ART UNIT	PAPER NUMBER	
			2616		
			MAIL DATE	DELIVERY MODE	
			08/20/2008	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/783,936	WYBENGA ET AL.
Office Action Summary	Examiner	Art Unit
	CHRISTINE DUONG	2616
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the o	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING ID. - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tilt d will apply and will expire SIX (6) MONTHS from te, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on 18 This action is FINAL . 2b) ☐ This action is FINAL . 2b) ☐ This action is application is in condition for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 1-23 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-23 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/	awn from consideration.	
9) The specification is objected to by the Examin	ner.	
10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	ccepted or b) objected to by the e drawing(s) be held in abeyance. Se ction is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat ority documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate

DETAILED ACTION

Response to Amendment

1. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

This is in response to the Applicant's arguments and amendments filed on 17 March 2008 in which claims 1-23 are currently pending.

Claim Rejections - 35 USC § 103

2. Claims 1, 3-5, 7-8, 10, 12-14, 16-17, 19, 21-22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brandis et al. (US Patent No. 6,654,343 B1 hereafter Brandis) in view of Krishna et al. (US Patent No. 6,563,837 B2 hereafter Krishna).

Regarding claims **1**, **10**, **19**, Brandis discloses a router, a communication network comprising a plurality of routers that communicate data packets to one another and to interfacing external devices, each of said plurality of routers and a method of routing data packets.

The limitation, a switch fabric (the following elements either alone or in combination of Ingress Scheduler 205, Switch Fabric 210, Egress Scheduler 215, fig. 2 or the following elements either alone or in combination of Ingress 300, Switch Fabric 330, Egress 360, fig. 3).

The limitation, a plurality of routing nodes coupled to said switch fabric, wherein each of said plurality of routing nodes comprises packet processing circuitry capable of transmitting data packets to, and receiving data packets from, said external devices (Ingress 300 and Egress 360, fig. 3 or input link 200 and output link 220, fig. 2) and

further capable of transmitting data packets to, and receiving data packets from, other ones of said plurality of routing nodes via said switch fabric (Switch Fabric 330, fig. 3 or Switch Fabric 210, fig. 2).

Page 3

The limitation, said switch fabric is capable of detecting that the output bandwidth of a first output of said switch fabric has been exceeded ("the egress may use the flow control messages to indicate that the particular flow has occupied its share of space in the egress buffers 212" column 5 lines 26-27) and, in response to said detection, said switch fabric causes a first one of said plurality of routing nodes to slow an input rate of data packets transmitted from said first routing node to a first input of said switch fabric ("the ingress scheduler 205 needs to slow down (e.g., send cells from that flow at a slower pace) or to stop sending additional cells from that flow" column 5 lines 27-31).

However, Brandis fails to specifically disclose detecting that the output bandwidth of a first output of said switch fabric has been exceeded.

Nevertheless, Krishna discloses "if any one virtual input queue in any one output port exceeds the threshold occupancy rating, flow control is turned on for the input port corresponding to that virtual input queue in that particular output port. As such, that input port stops sending cells and requests to that output port" (column 19 lines 48-53).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to detect that the output bandwidth of a first output of said switch fabric has been exceeded because "using virtual input queues in the output ports increases fairness for data transferred through the network device" (Krishna column 18 lines 20-22).

Regarding claims **3**, **12**, **21**, Brandis and Krishna discloses everything claimed as applied above (see claims 1, 10, 19, respectively). In addition, Brandis discloses said first routing node comprises a first queue comprising a plurality of prioritized buffers capable of storing data packets to be transmitted to said switch fabric ("the ingress 300 maintains the incoming flows in multiple flow queues. In this example, each flow is represented once across all of the flow queues. Cells in each flow are sent across the switch fabric 330 to the egress 360. In one embodiment, each flow queue is associated with a priority level" column 5 lines 40-45).

Regarding claims **4**, **13**, Brandis and Krishna discloses everything claimed as applied above (see claims 3, 12 respectively). In addition, Brandis discloses said first routing node slows down a rate at which data packets are transmitted to said switch fabric from said first queue ("the ingress scheduler needs to slow the pace of sending cells from an offending flow" column 5 lines 66-67).

Regarding claims **5**, **14**, **22**, Brandis and Krishna discloses everything claimed as applied above (see claims 4, 13, 21 respectively). In addition, Brandis discloses said first routing node selects data packets to be transferred to said switch fabric from a first one of said plurality of prioritized buffers according to a priority value associated with said first prioritized buffer ("with the priority levels being from 0 to 8, the flow queue 305 is associated with the priority level 8 and the flow queue 310 is associated with the priority level 0. In one embodiment, the priority level zero (0) is a lowest priority level. A new flow arriving at the ingress 300 is placed in the flow queue associated with the priority level similar to the priority level of the flow" column 5 lines 45-51).

Art Unit: 2616

Regarding claims **7**, **16**, Brandis and Krishna discloses everything claimed as applied above (see claims 3, 12 respectively). In addition, Brandis discloses said first routing node routes said data packets using Layer 3 routing information ("The packets (e.g., IP packets) being transmitted from the ingress to the egress have variable lengths" column 4 lines 12-13).

Regarding claims **8**, **17**, Brandis and Krishna discloses everything claimed as applied above (see claims 7, 16 respectively). In addition, Brandis discloses said Layer 3 routing information comprises an Internet protocol (IP) address ("The packets (e.g., IP packets) being transmitted from the ingress to the egress have variable lengths" column 4 lines 12-13).

3. Claims 2, 11, 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brandis and Krishna further in view of Murakami et al. (PG Pub US 2004/0179542 A1 hereafter Murakami).

Regarding claims **2**, **11**, **20**, Brandis and Krishna discloses everything claimed as applied above (see claims 1, 10, 19, respectively).

However, Brandis and Krishna fails to specifically disclose said switch fabric implements a Weighted Fair Queuing algorithm to slow said input rate of data packets from said first routing node.

Nevertheless, Murakami et al. teaches "in an input and output buffer switch that arranges buffer memories at input and output ports, respectively, the problem of the static occupation of an output circuit by specific connections can be improved by a

buffer memory read scheduling criterion such as Weighted Fair Queuing (WFQ)" (Murakami [0007] Lines 5-10).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to implement a Weighted Fair Queuing algorithm to slow the input rate of data packets from the first routing node because "a study of buffer memory read scheduling has been actively conducted as one of the techniques that are proposed to provide the QoS guarantee mechanism as mentioned above or a class-based priority control mechanism" (Murakami [0007] Lines 1-4).

4. Claims 6, 15, 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brandis and Krishna further in view of Hesse (US Patent No. 6,289,021 B1).

Regarding claims **6**, **15**, **23**, Brandis and Krishna discloses everything claimed as applied above (see claims 5, 14, 22 respectively). However, Brandis and Krishna fails to specifically disclose said first routing node causes a first one of said external devices to slow a rate at which data packets are transmitted to said first queue.

Nevertheless, Hesse discloses "one method of reducing input rate is to specify that the external device connected to port 104 meters or otherwise reduces the frequency at which messages are injected" (column 37 lines 28-31).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to cause a first one of said external devices to slow a rate at which data packets are transmitted to said first queue "this technique places responsibility for the rate reduction on a device external to the switch" (Hesse column 37 lines 31-32).

Application/Control Number: 10/783,936 Page 7

Art Unit: 2616

5. Claims 9, 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brandis and Krishna further in view of Gruia (PG Pub US 2002/0135843 A1).

Regarding claims **9**, **18**, Brandis and Krishna discloses everything claimed as applied above (see claims 3, 12 respectively). However, Brandis and Krishna fails to specifically disclose said first routing node routes said data packets using Layer 2 medium access control (MAC) address information.

Nevertheless, Gruia teaches "the switch module is capable of performing layer 2 switching based on MAC addresses" (Gruia: [0051] Lines 13-14).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to route data packets using Layer 2 MAC address information because "the address table provides source and destination addresses for packets that are being forwarded through the switch module" (Gruia: [0051] Lines 9-11).

Response to Arguments

6. Applicant's arguments have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to CHRISTINE DUONG whose telephone number is (571)270-1664. The examiner can normally be reached on Monday - Friday: 830 AM-6 PM EST.

Application/Control Number: 10/783,936 Page 8

Art Unit: 2616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema Rao can be reached on (571) 272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Christine Duong/ Examiner, Art Unit 2616

08/13/2008

/Kevin C. Harper/

Primary Examiner, Art Unit 2616